


SPRING WASHER
PN: 50300332-321

METAL NUT
PN: 50300395-321

15	PUSH LEVEL	Brass/Ni Plated	1
14	INSULATOR	PPS/Black	1
13	METAL SHELL	Brass/Ni Plated	1
12	SOCKET CONTACTS	Brass/Au Plated	4
11	CIRCUIT BOARD	FIBER GRASS	1
10	INSULATOR	PPS/Black	1
9	SPRING	SUS 304/Ni Plated	1
8	LATCH SPRING	SUS 304/Ni Plated	1
7	MACHINED SHELL	Brass/Ni Plated	1
6	CONTACTS	Brass/Au Plated	2
5	CONTACTS	Brass/Au Plated	2
4	METAL NUT	Brass/Ni Plated	1
3	SPRING WASHER	SUS 304/Ni Plated	1
2	GROUND CONTACT	Brass/Ni Plated	1
1	SUPPORT	LCP/GREY	1
	DESCRIPTION	MATERIAL & FINISH	QTY



ISO VIEW
(SCALE 1:1)

Notes:
1. Part must conform to RoHS compliance
2. Plastic parts conform to UL94 V-0 compliant.

Specification: Electrical
Contact Resistance: <0.03 ohm
Insulation Resistance: >500Megaohm
Dielectric Strength: 1000VDC
Rated Current: 5A

Mechanical
Mating: >5000 cycles
Insertion/withdrawal Force: >10N & <30N.

UNLESS OTHERWISE SPECIFIED TOLERANCE TO BE		THIS DOCUMENT IS THE PROPERTY OF AMPHENOL AUSTRALIA PTY. LTD.. NO PART THEREOF MAY BE REPRODUCED AND USED WITHOUT THE PRIOR WRITTEN CONSENT OF THE OWNER			
LINEAR	ANGULAR	CAD FILE: 55010859200111	DRN: MH	DATE: 04-10-12	REV.
X ± 0.50 X,X ± 0.25 X,X ± 0.10	X° ± 1° X°X° ± 30° X°X° ± 15°	MATL: SEE NOTES	CKD: MH	DATE: 23-06-16	CHANGE DETAILS
BREAK ALL SHARP EDGES AND REMOVE ALL BURRS		FINISH: SEE NOTES	APP'D: PM	DATE: 23-06-16	BY
DO NOT SCALE		DIMENSIONS IN MILLIMETRES		SCALE: 2 : 1	CHG/No

1	CHANGE SUPPORT MATERIAL FROM PA6 TO LCP/GREY	M.H	23-06-16	9356
0	FIRST ISSUE	MH	04-10-12	----

TITLE: MINI XLR 5 SKT FEMALE
PANEL MOUNT RA PCB
CUSTOMER DRAWING

Amphenol
22 Industry Boulevard, Carrum Downs, Vic 3201
DRAWING NO. 55010859-200-1
SHEET 1 OF 1